Our Product Introduction

E AUTOKING

115kW Foton Wrecker Towing Truck Platform Flatbed **Towtruck**

Basic Information

. Place of Origin: Henan, China

. Brand Name: foton • Minimum Order Quantity:

Available for negotiation

• Packaging Details: Waxing in Bulk ship, Roro ship, Container

• Delivery Time: 30-45 working days

• Payment Terms: T/T

• Supply Ability: 1,000 units per month



Product Specification

Diesel • Fuel Type: EURO 5 • Emission Standard: Condition: New

• Transmission Type: Automatic

• Dimensions (L X W X H) 5995X2300X2300mm

(mm):

Highlight: Foton Wrecker Towing Truck,

115kW Foton Wrecker Towing Truck,

Platform Flatbed Towtruck





More Images





Product Description

EURO 5 Automatic Transmission Foton Wrecker Towing Truck Wrecker Bed Towing Platform

Product features:

Anti-collision protection device to reduce vehicle damage. Equipped with a panoramic camera, there is no blind spot for work. The hydraulic system is stable and reliable and has high working efficiency.

Product usage:

Quick handling of vehicle breakdowns at the airport. Vehicle rescue in car racing games. Vehicle protection on roads in remote areas.

Product advantages:

Customized services are thoughtful and meet special needs. The vehicle has a higher value retention rate. Excellent safety performance, reducing the risk of accidents.

After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

Specification:

The main parameters	
Drive type	4X2
Wheelbase	3600mm
Dimensions	5.995×2.3×2.3m
Max. speed	105km/h
Max. horsepower	160hp
Max. output power	115kW
Fuel type	diesel
Number of tires	6
Tire specifications	7.00R16LT 8PR
Displacement	2.498L









EXAUTOKING Henan Autoking Industry Co., Ltd.

