
Foton 6 Ton Tow Truck Wrecker Body Dimensions 5995X2300X2300mm Roadside assistance trailer



Product features:

With adjustable towing arm, the length and angle can be adjusted according to the actual situation, adapting to different rescue scenarios.

Installed with remote monitoring system, managers can know the location, operation status and rescue progress of the trailer in real time.

Equipped with automatic fire extinguishing device, in the event of fire hazards, timely start the fire extinguishing, to protect the safety of personnel and vehicles.

Product usage:

Rescue engineering vehicles damaged due to collision and other reasons near the construction site, adjustable tractor arm to adapt to complex terrain.

Provide emergency rescue services for long-distance transportation fleet, remote monitoring for easy scheduling and management.

Handle the failure of vehicles transporting flammable and explosive substances, automatic fire extinguishing device to provide security.

Product advantages:

Adjustable traction arm improves the flexibility of rescue and can cope with various complex rescue scenarios. Remote monitoring system facilitates unified scheduling and management, improving rescue efficiency and resource utilization.

Automatic fire extinguishing device effectively reduces the risk of fire and protects the safety of rescue personnel and vehicles.

After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

Specification:


The main parameters	
Drive type	4X2
Wheelbase	3600mm
Dimensions	5.995×2.3×2.3m
Max. speed	105km/h
Max. horsepower	160hp
Max. output power	115kW
Fuel type	diesel
Number of tires	6
Tire specifications	7.00R16LT 8PR
Displacement	2.498L











AUTOKING Henan Autoking Industry Co., Ltd.

No. 86, Jingsan Road, Jinshui District, Zhengzhou City, Henan Province, China