

# 4000kg 5000kg Road Wrecker Truck Sinotruk Wrecker Tow Truck Body Kit **Manual**

## **Basic Information**

. Place of Origin: Shandong, China

Brand Name: Howo Minimum Order Quantity:

Available for negotiation

• Packaging Details: Waxing in Bulk ship, Roro ship, Container

Delivery Time: 30-45 working days

• Payment Terms: T/T

• Supply Ability: 1,000 units per month



# **Product Specification**

• Fuel Type: Diesel . Emission Standard: EURO 5 Condition: New . Transmission Type: Manual

• Dimensions (L X W X H) 5995x2300x2400

96kW Maximum Output Power: . Wheel Base: 3600mm • Number Of Tires:

Highlight: 5000kg Road Wrecker Truck,

4000kg Road Wrecker Truck, Sinotruk Wrecker Tow Truck





## More Images



## **Product Description**

Sinotruk HOWO 4-5 Ton Chinese Pickup Trucks, Road Wrecker Tow Truck Rotari Wrecker Tow Truck Body Kit Manual

#### **Product features:**

Wide applicability: Flatbed tow trucks are suitable for a variety of road conditions such as highways and urban streets, and can cope with different types of rescue tasks.

Comfort and practicality: The cab design focuses on the comfort of the driver, and the internal space of the vehicle is reasonably planned to facilitate the storage of rescue tools and equipment.

#### Product usage:

Vehicle transportation: The flatbed part of the flatbed tow truck can be used to transport small engineering machinery, vehicles and other items, and has a certain versatility.

Emergency rescue: In natural disasters or other emergencies, flatbed tow trucks can participate in rescue operations and help transfer materials or equipment.

## Product advantages:

Wide applicability: Flatbed tow trucks are designed to handle accident vehicles of various sizes and types, suitable for urban streets, highways and other road conditions.

Easy operation: Modern flatbed tow trucks are usually equipped with electronic control systems and hydraulic systems, which are easy to operate and reduce manual labor intensity.

## Specification:

Brand Name	Howo
Place of Origin	China
Emission Standard	Euro VI
Engine Capacity	< 5L
Steering	Left
Driving type	4x2
Condition	New















