Henan Autoking Industry Co., Ltd.

10000kg Wrecker Tow Truck One To One Euro V Flat Bed Tow Truck

Basic Information

Place of Origin: ChinaBrand Name: JACMinimum Order Quantity: 1

• Price: Available for negotiation

• Packaging Details: Waxing in Bulk ship, Roro ship, Container

• Delivery Time: 30-45 working days

Payment Terms: T/T

• Supply Ability: 1,000 units per month



Product Specification

Fuel Type: Diesel
Emission Standard: EURO 5
Condition: New
Transmission Type: Manual

Dimensions (L X W X H) 5995*2300*2180

(mm):

Highlight: 10000kg Wrecker Tow Truck,

Wrecker Tow Truck One To One, 10000kg Flat Bed Tow Truck



More Images









Product Description

10 Ton Wrecker Towing Truck Wrecker Towing Truck Wrecker Bed Towing Platform Tow Truck Wrecker Body

Product features:

Towing function: The tow truck can tow away the damaged vehicle lifted at one end; it can also use the towing rod to tow away the accident vehicle with an undamaged axle.

Back-loading function: The flatbed tow truck can tow the accident vehicle onto the flatbed, fix it with soft contact, and implement non-destructive transportation, which is particularly suitable for passenger cars.

Product usage:

Road rescue: Flatbed tow trucks can quickly respond to accident vehicles or faulty vehicles on the road, provide rescue services, help vehicles get out of trouble, and restore smooth traffic.

Emergency rescue: In natural disasters or other emergencies, flatbed tow trucks can participate in rescue operations and help transfer materials or equipment.

Product advantages:

High efficiency: With the ability to quickly load, unload and fix, flatbed tow trucks can complete rescue tasks in a short time and reduce traffic congestion.

Wide applicability. Flatbed tow trucks are designed to handle accident vehicles of various sizes and types, suitable for urban streets, highways and other road conditions.

Specification:

Brand Name	JAC
Туре	One-to-one tow truck
place of Origin	China
Fuel type	Diesel fuel
Steering	Left
Condition	New
Emission Standards	Euro V











