

Mobile Garbage Station Truck Compressed Waste Garbage Container Compression Station compactor garbage truck on sale

Basic Information

. Place of Origin: Hubei, China

• Brand Name: jac

CN¥47,067.15/units 1-4 units • Price:



Product Specification

• Video Outgoing-inspection: Provided • Machinery Test Report: Provided

. Core Components: Engine, Gearbox, Motor

4X2 Drive Wheel:

• Type: Compactor • Transmission Type: Automatic • Emission Standard: Euro 4 • Fuel Type: Diesel • Engine Capacity: 110

Size: 6920*2100*2520

• Gross Vehicle Weight: 5280 Warranty: 1 Year • Weight (KG): 3500 Kg • Curb Weight(Kg): 5280 Persons In Cab:



More Images









Product Description

Product features:

This mobile refuse station adopts modular design, each component is easy to disassemble, replace and maintain. Equipped with remote monitoring and intelligent warning system, real-time monitoring of equipment operation status, rubbish volume and other information through sensors.

With multi-functional rubbish inlet, it can accept different types of rubbish at the same time, such as recyclables, hazardous rubbish and other rubbish.

The unloading door of the refuse station is designed to be wide and with automatic opening and closing function, unloading is fast and thorough.

Product usage:

It is suitable for waste classification pilot communities to help residents with waste classification and preliminary treatment. In large-scale factory parks, centralised treatment of industrial waste and employees' living waste generated in the production

Used in city parks to clean up food packaging bags, beverage bottles and other types of rubbish discarded by tourists.

Product advantages:

Modular design shortens the maintenance time, reduces the difficulty of maintenance and improves the availability of the equipment.

Remote monitoring and early warning system facilitates timely maintenance, ensures normal operation of the equipment and

Multi-functional entrance adapts to the needs of waste classification and promotes environmental protection.

Wide discharge door improves transfer efficiency and avoids waste residue.

After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

Specification:

Overall Dimensions (mm)	4000×2295×2450
Waste bin volume (m³)	6
Tipping bucket volume (m³)	3
Max lifting force of tipping bucket (T)	1.5
Feed inlet height (mm)	1600
Bottom beam width (mm)	1060
Guiding wheel track width (mm)	2200



















