High Quality And Direct Sales Mobile Garbage Truck Body Parts Compression Machine For Waste Treatment

Basic Information

- Place of Origin:
- Hubei, China
- Brand Name:
- Price:
- jac
- CN¥47,067.15/units 1-4 units



Product Specification

- Video Outgoing-inspection: Provided
- Machinery Test Report: Provided
- Core Components: Engine, Gearbox, Motor

4X2

Compactor

Automatic

Euro 4

Diesel

110

5280

1 Year

3500 Kg

5280

2

- Drive Wheel:
- Type:
- Transmission Type:
- Emission Standard:
- Fuel Type:

• Size:

- Engine Capacity:
 - 6920*2100*2520
- Gross Vehicle Weight:
- Warranty:
- Weight (KG):
- Curb Weight(Kg):
- Persons In Cab:



More Images





Product features:

The ventilation system of the refuse station adopts negative pressure design to force out the odour, avoiding odour spillage, guaranteeing fresh air in the surrounding area, enhancing the living comfort of the residents and reducing their complaints. Adopting high-strength rubbish loading and unloading chain, which is durable and can withstand the pulling and pulling of heavy-duty rubbish, not easy to break, guaranteeing the safety of rubbish loading and unloading and reducing the risk of accidents.

The body adopts lightweight aluminium alloy frame, which reduces the weight under the premise of guaranteeing strength, facilitates mobility, improves the energy utilization rate and optimizes the performance of the equipment. **Product usage:**

Commonly used in urban residential densely populated areas, such as large community centres, to deal with massive amounts of domestic waste, to ensure community environmental health, and to provide residents with a comfortable living environment. In the vicinity of hospital outpatient buildings and inpatient departments, collect medical waste packaging, prevent the spread of germs, protect the health of patients, and protect the medical industry.

Used in the core area of urban tourist attractions to maintain the quality environment of scenic spots, attract tourists, promote tourism and help economic development.

Product advantages:

Negative pressure ventilation effectively removes odour, improves residents' living comfort, reduces residents' complaints and improves residents' life satisfaction.

High-quality loading and unloading chain ensures safe and efficient rubbish loading and unloading, reduces the risk of accidents and protects public safety.

After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

Specification:

Overall Dimensions (mm)	4000×2295×2450
Waste bin volume (m ³)	6
Tipping bucket volume (m ³)	3
Max lifting force of tipping bucket (T)	1.5
Feed inlet height (mm)	1600
Bottom beam width (mm)	1060
Guiding wheel track width (mm)	2200







