# New Waste Collection Truck garbage truck rear loader truck body parts for sale



# .

- Video Outgoing-inspection: Provided
- Machinery Test Report: Provided
- Core Components: Engine, Gearbox, Motor

4X2

Compactor

Automatic

6920\*2100\*2520

Euro 4

Diesel

110

5280

1 Year

3500 Kg

5280

2

- Drive Wheel:
- Type:
- Transmission Type:
- Emission Standard:
- Fuel Type:
- Engine Capacity:
- Size:
- Gross Vehicle Weight:
- Warranty:
- Weight (KG):
- Curb Weight(Kg):
- Persons In Cab:



# More Images



# Product features:

The main structure is made of high-strength alloy steel, which has excellent resistance to pressure and corrosion, ensuring long-term stable use.

Equipped with intelligent automatic compression system, which can automatically adjust the compression force according to the amount of rubbish, high efficiency and energy saving.

The mobile chassis is compactly designed, with tracked or heavy-duty tyre structure, adapting to a variety of complex terrain, such as rugged mountain roads and muddy trails.

It has a sealed rubbish storage bin with advanced deodorisation device to prevent odour leakage.

# Product usage:

Commonly used in remote mountainous villages to collect and dispose of residents' daily rubbish and improve rural environmental hygiene.

In construction sites, centralised storage of construction waste, convenient for subsequent classification and removal. Applicable to tourist attractions, timely clean up the rubbish discarded by tourists, to maintain the beauty of the scenic area.

## Product advantages:

High-strength material significantly reduces equipment loss, reduces maintenance costs and extends service life. Intelligent compression system improves rubbish disposal efficiency, reduces energy consumption and saves operating expenses.

Flexible mobile chassis can penetrate into all kinds of hard-to-reach areas, expanding the scope of rubbish collection. Excellent sealing and deodorising effect avoids environmental pollution and improves the satisfaction of residents and tourists in the neighbourhood.

### After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

### Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

### Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

#### Specification:

Overall Dimensions (mm)	4000×2295×2450
Waste bin volume (m <sup>3</sup> )	6
Tipping bucket volume (m <sup>3</sup> )	3
Max lifting force of tipping bucket (T)	1.5
Feed inlet height (mm)	1600
Bottom beam width (mm)	1060
Guiding wheel track width (mm)	2200







No. 86, Jingsan Road, Jinshui District, Zhengzhou City, Henan Province, China