Our Product Introduction

ICU Ambulance Portable First Aid Emergency Ventilator Transport Ventilators

Basic Information

ISO9000, CCC · Certification:



Product Specification

• Type: Ambulance • Transmission Type: Automatic Diesel • Fuel: Euro 4 • Emission Standard:

 Medical Equipment: With Medical Equipment

3-8m

210-260hp • Horsepower: Axle: Micro • Condition: New • Origin: China 2000 • Supply Ability:

Package Size: 6.05cm * 2.43cm * 2.59cm

• Package Gross Weight: 30000.000kg Customization: Available After-sales Service: Online Service





More Images

Length:









Product Description

Product features:

The appearance of the vehicle adopts eye-catching logo and color, easy to identify, and convenient for the public to quickly find the ambulance to seek help in case of emergency.

Installed with a number of high-definition cameras, it can monitor the situation inside and outside the vehicle in real time, providing a full range of information support for rescue operations and also facilitating the analysis of subsequent accidents. Equipped with automatic stretcher carrying robot, it can easily carry patients from the ground to the stretcher in the vehicle, reducing the labor intensity of medical staff and carrying process is smooth and safe.

Product usage:

In the city streets, communities and other places to perform first aid tasks, conspicuous appearance is easy for the public to find, timely access to medical assistance.

Used in traffic accident scene rescue, the camera records the scene situation for the traffic police to deal with the accident to provide a basis, while ensuring that the rescue operation is safe and orderly.

In large shopping malls, supermarkets and other public places, it is used for rapid rescue and transportation of customers with sudden illnesses.

Product advantages:

Eye-catching appearance improves recognition, facilitates the masses to seek help, and speeds up the rescue response. Camera monitoring guarantees the safety of rescue operations and provides data support for follow-up work. Automatic stretcher handling robot to improve handling efficiency, reduce the intensity of the work of medical staff, to protect the safety of patients.

After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

Specification:

| Main Specification | |
|-----------------------|-----------------------|
| Product Name | Automatic ambulance |
| Engine | 2.3T 174PS L4 |
| Max. power(kW) | 128(174PS) |
| Max. torque (N⋅m) | 430 |
| Gearbox | 6 speed manual |
| Overall Dimension(mm) | 5498×2068×2485 |
| Body structure | 5 door 3 seater truck |
| Wheelbase(mm) | 3300 |
| Max. horsepower (Ps) | 174 |
| | • |

| Max. power speed (rpm) | 3200 |
|-------------------------|-----------|
| Max. torque (N·m) | 430 |
| Max. torque speed (rpm) | 1400-2400 |





























