

## Reefer Vehicles Refrigerator Truck With Refrigeration Unit For Frozen Food Transport

Our Product Introduction

for more products please visit us on [commercial-autos.com](http://commercial-autos.com)

### Basic Information



### Product Specification

- Model NO.: IsuzuKv100
- Payload: 4tons
- Emission Standard: Euro 3
- Transmission Type: Manual
- Horsepower: 150hp
- Fuel: Diesel
- Bearing Capacity: Small
- Car Type: The Semi-Trailer
- Condition: New
- Curb Weight(Kg): 3500
- Loading Capacity(Kg): 3665
- Total Mass(Kg): 7360
- Max Speed(Km/H): 110
- Persons In Cab: 3
- Cargo Box Size (mm): 4080\*2100\*2100



### More Images



## Product Description

### Product features:

The refrigeration system of the Isuzu refrigerated truck has a rapid cooling function, which can quickly reduce the temperature inside the compartment to a suitable range in hot weather to meet the needs of emergency cold chain transportation. The compartments are treated with anti-rust and corrosion treatment, and both the internal and external surfaces are sprayed with high-quality anti-rust paint, which effectively prevents rust and corrosion due to humidity, salt and other environmental factors, and prolongs the service life of the vehicle.

is equipped with intelligentized compartment door control system, which can realize remote door opening and closing, which is convenient for operation during cargo loading and unloading and improves operation efficiency.

### Product usage:

Quickly distribute cold drinks and refrigerated food for supermarkets and convenience stores during the high temperature period in summer to meet the market demand.

Transportation of goods in coastal areas or humid environments, anti-corrosion treatment to protect the performance and appearance of the vehicle

Used in logistics parks for automated cargo loading and unloading operations, intelligent door control to improve operational efficiency.

### Product advantages:

Rapid cooling function adapts to emergency transportation needs and improves customer satisfaction.

anti-corrosion treatment reduces vehicle maintenance costs and prolongs service life.

Intelligent door control improves operational efficiency and saves labor costs.

### Specification:

Cargo box size (mm)	4080*2100*2100
Box volume (m <sup>3</sup> )	18
Box material	glass fiber reinforced plastics
Insulation layer material	XPS/polyurethane
Insulation layer thickness(cm)	8
Box bottom plate	aluminum material
Refrigerator brand	Thermo King/Carrier/Chinese brand
Refrigerator temperature (°)	-5°/-18°
Backup power	Optional
Air heating system	Optional
Box optional configuration	Meat hook/Ventilation trough
Chassis brand	isuzu
Drive form	4*2
Steering wheel	Left hand drive

Steering device	Power assisted steering
Wheelbase(mm)	3360
Engine brand and model	isuzu/4KH1CN6HB
Max engine power(Kw)	97
Engine displacement(ml)	2999
Engine emission standard	Euro6
Number of engine cylinders	4
Fuel type	Diesel
Gearbox	ML645G,5 speed forward 1 reverse
Front/rear axle(t)	2.5/4.5
Suspension	Multi leaf springs
Brake system	Front/Rear Drum full air braking
Wheels and tyre size	6+1/( 7.00R16)
Cab configuration	Single row cab, air conditioning, radio, MP3 and USB port
Rated voltage	24V,DC
Cab color	White,other color is optional








## REFRIGERATED TRUCK+ACCESSORIES




## 《《 REFRIGERATED TRUCK FACTORY 》》


HENAN AUTOKING INDUSTRY CO.,LTD



 **AUTOKING** Henan Autoking Industry Co., Ltd.

 +8618300655268

 video@autoking.com

 commercial-autos.com

No. 86, Jingsan Road, Jinshui District, Zhengzhou City, Henan Province, China