



Refrigerated Truck Freezer Truck Fish Meat Hook Refrigerator Cold Room Van Truck

Our Product Introduction

for more products please visit us on commercial-autos.com

Basic Information



Product Specification

- Model NO.: Isuzu Kv100
- Payload: 4tons
- Emission Standard: Euro 3
- Transmission Type: Manual
- Horsepower: 150hp
- Fuel: Diesel
- Bearing Capacity: Small
- Car Type: The Semi-Trailer
- Condition: New
- Curb Weight(Kg): 3500
- Loading Capacity(Kg): 3665
- Total Mass(Kg): 7360
- Max Speed(Km/H): 110
- Persons In Cab: 3
- Cargo Box Size (mm): 4080*2100*2100



More Images



Product Description

Product features:

With good low-temperature starting performance, it can quickly start the refrigeration unit and vehicle engine even in cold winter to ensure normal cold chain transportation.

The vehicle is equipped with temperature-adjustable shelves, which can adjust the temperature of the shelf area according to the different temperature requirements of the goods and realize zonal temperature control.

is installed with vehicle traveling data recorder, which records the vehicle traveling track, speed, stopping time and other information to facilitate the management and analysis of the transportation process.

Product usage:

In the cold northern region, distributing fresh food and medicine for residents in winter, good low-temperature starting performance guarantees the supply.

Transporting medicines with different storage temperature requirements for pharmaceutical enterprises, partitioned temperature-controlled shelves ensure the quality of medicines.

Logistics enterprises analyze the transportation efficiency and optimize the transportation routes and vehicle scheduling through the driving data recorder.

Product advantages:

Low-temperature start-up performance ensures cold chain transportation in winter and expands business scope.

Partitioned temperature-controlled shelving meets the temperature requirements of different cargoes and improves transportation flexibility.

The TDR provides data support for transportation management and improves operational efficiency.

Specification:

Cargo box size (mm)	4080*2100*2100
Box volume (m ³)	18
Box material	glass fiber reinforced plastics
Insulation layer material	XPS/polyurethane
Insulation layer thickness(cm)	8
Box bottom plate	aluminum material
Refrigerator brand	Thermo King/Carrier/Chinese brand
Refrigerator temperature (°)	-5°/-18°
Backup power	Optional
Air heating system	Optional
Box optional configuration	Meat hook/Ventilation trough
Chassis brand	isuzu
Drive form	4*2
Steering wheel	Left hand drive
Steering device	Power assisted steering
Wheelbase(mm)	3360
Engine brand and model	isuzu/4KH1CN6HB

Max engine power(Kw)	97
Engine displacement(ml)	2999
Engine emission standard	Euro6
Number of engine cylinders	4
Fuel type	Diesel
Gearbox	ML645G,5 speed forward 1 reverse
Front/rear axle(t)	2.5/4.5
Suspension	Multi leaf springs
Brake system	Front/Rear Drum full air braking
Wheels and tyre size	6+1/(7.00R16)
Cab configuration	Single row cab, air conditioning, radio, MP3 and USB port
Rated voltage	24V,DC
Cab color	White,other color is optional





REFRIGERATED TRUCK+ACCESSORIES



《《 REFRIGERATED TRUCK FACTORY 》》 HENAN AUTOKING INDUSTRY CO.,LTD



 **AUTOKING** Henan Autoking Industry Co., Ltd.

+8618300655268

video@autoking.com

commercial-autos.com

No. 86, Jingsan Road, Jinshui District, Zhengzhou City, Henan Province, China