Our Product Introduction



## Good Thermal Insulation Performance Isuzu M100 Refrigerated **Truck**

#### **Basic Information**



#### **Product Specification**

Model NO.: Isuzu M100 5-10 Ton · Payload: Emission Standard: Euro 6 • Transmission Type: Manual 150hp Horsepower: • Fuel: Diesel • Bearing Capacity: Medium

The Semi-Trailer . Car Type:

. Condition: New

• Truck Model: Ak5070xlcl6

• Curb Weight(Kg): 3500 Total Mass(Kg): 7360 • Max Speed(Km/H): 110 • Persons In Cab:

• Cargo Box Size (mm): 4080\*2100\*2100



## More Images









#### **Product Description**

#### **Product features:**

The interior of the compartment is equipped with a humidity adjustment system, which can adjust the humidity (40%-70%) according to different categories such as bread and cakes.

Adopting low oxygen preservation technology to reduce the oxygen content by filling nitrogen to inhibit microbial reproduction. Equipped with anti-odor partition, separating different flavor products and preventing crosstalk.

#### Product usage:

Central factory to store distribution for bakery chain enterprises, humidity regulation to extend product shelf life.

Frozen dough transportation, low oxygen environment to prevent yeast from fermenting in advance.

Cold chain transportation of freshly baked food, anti-odor design to keep the product flavor pure.

#### Product advantages:

Humidity adjustment accuracy ±5%, bread shelf life extended to 7 days (normal refrigeration only 3 days). Low-oxygen environment reduces microbial reproduction rate by 50%, complying with HACCP standards.

The anti-odor partition adopts activated carbon adsorption technology, removing >95% of odors.

#### After-sales service

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

#### Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

#### Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

#### who are we?

Autoking Industrial Co., Ltd. was established in 2017, located in Jinshui District, Zhengzhou City, Henan Province. We have many refrigerated truck production bases in China, respectively located in Henan, Shandong, Hubei, Jiangsu, Guangdong, product sales network covering domestic and foreign markets.

we have more than 300 models of special trucks, can also provide you with a variety of customized trucks, five-star after-sales service guarantee. You can call us free at any time, we will provide you with solutions. In addition, we provide you with original spare parts. Our engineers can provide on-site service if required. We have many customers in Southeast Asia, South Asia, Central Asia, West Asia, the Middle East, South America. Welcome friends from all over the world to contact us for win-win cooperation.

#### How can we guarantee quality?

we produce as per international standard and norm;

Always final Inspection before shipment; We know once those products with quality defects are shipped to the destination, both of us are in great trouble. If we check the quality of each shipment with the minimum cost, so why not? We have advanced production technology and professional production lines, So far, our customers are very satisfied with our services and products.

#### what can you buy from us?

Our company specializes in various brands of electric vehicles, commercial vehicles, refrigerated trucks, auto parts and vehicle maintenance equipment. Vans, refrigerator trucks, buses, mixer trucks, tank trucks and other special vehicles.

#### why should you buy from us not from other suppliers?

Quality and Reliability: We prioritize quality in all our products, ensuring they meet or exceed industry standards. Competitive Pricing: We offer competitive pricing without compromising on quality. Our efficient supply chain and strong relationships with manufacturers allow us to provide cost-effective solutions that fit your budget.

Customization and Flexibility: We understand that every customer has unique needs. We offer a range of customizable options and are flexible in tailoring our products and services to meet your specific requirements.

In summary, buying from us means you're choosing a supplier that offers quality, competitive pricing, exceptional customer service, flexibility, a comprehensive product range, a strong reputation, and a commitment to sustainability. We're here to ensure you have the best possible experience, from initial inquiry to after-sales support.

#### what services can we provide?

Accepted Delivery Terms: FOB;EXW; CIF; Accepted Payment Currency:Euro; US dollar; CNY; Language Spoken:English; Russian; Spanish;

#### Specification:

Cargo box size (mm)	4080*2100*2100
---------------------	----------------


18
glass fiber reinforced plastics
XPS/polyurethane
8
aluminum material
Thermo King/Carrier/Chinese brand
-5°/-18°
Optional
Optional
Meat hook/Ventilation trough
isuzu
4*2
Left hand drive
Left hand drive  Power assisted steering
Power assisted steering
Power assisted steering 3360
Power assisted steering  3360  isuzu/4KH1CN6HB
Power assisted steering  3360  isuzu/4KH1CN6HB  97
Power assisted steering  3360  isuzu/4KH1CN6HB  97  2999
Power assisted steering  3360  isuzu/4KH1CN6HB  97  2999  Euro6
Power assisted steering  3360  isuzu/4KH1CN6HB  97  2999  Euro6  4
Power assisted steering  3360  isuzu/4KH1CN6HB  97  2999  Euro6  4  Diesel

Brake system	Front/Rear Drum full air braking
Wheels and tyre size	6+1/( 7.00R16)
Cab configuration	Single row cab, air conditioning, radio, MP3 and USB port
Rated voltage	24V,DC
Cab color	White,other color is optional









# (( REFRIGERATED TRUCK FACTORY )) HENAN AUTOKING INDUSTRY CO.,LTD











## **Henan Autoking Industry Co., Ltd.**





video@aautoking.com



commercial-autos.com

No. 86, Jingsan Road, Jinshui District, Zhengzhou City, Henan Province, China