

High-Quality Insulation Isuzu Kv100 Refrigerated Truck For Cold Chain Transportation

Basic Information



Product Specification

Isuzu Kv100

4tons Euro 3

Manual 150hp

Diesel

Small

New 3500

7360

110

3

The Semi-Trailer

4080*2100*2100

- Model NO.:
- Payload:
- Emission Standard:
- Transmission Type:
- Horsepower:
- Fuel:
- Bearing Capacity:
- Car Type:
- Condition:
- Curb Weight(Kg):
- Loading Capacity(Kg): 3665
- Total Mass(Kg):
- Max Speed(Km/H):
- Persons In Cab:
- Cargo Box Size (mm):



More Images





Product features:

The compartment adopts salt water corrosion protection technology, with anti-corrosion coating sprayed on the surface and salt spray resistance test \geq 1000 hours.

Equipped with fast refrigeration system, the cooling time of -18 is only 20 minutes, locking the fresh flavor of seafood. Equipped with anti-leakage tray as standard, preventing the melting water droplets from polluting other goods.

Product usage:

Short-distance transportation of seafood after landing, fast refrigeration to keep the quality. Frozen seafood import and export transportation, anti-corrosion coating to adapt to the humid environment of shipping. Seafood market distribution, leak-proof tray to avoid cross-contamination.

Product advantages:

Anti-corrosion coating extends the life of the compartment to 10 years, twice as long as ordinary materials. Fast refrigeration system maintains refrigeration capacity \geq 8kW at 35°C. Leak-proof pallet capacity \geq 5L prevents leakage of melt water to other cargo. **After-sales service**

AUTOKING has four overseas branches to develop overseas customers. We also carry out after-sales service guarantee for vehicles.

Is the price cheap?

The price is chosen by comparing several car manufacturers, and we also hope that customers can compare several times and finally choose our company.

Is international logistics guaranteed?

After the purchase of goods are shipped, the company tracks the order in full. Shipping video and transport video we provide for you at any time.

who are we?

Autoking Industrial Co., Ltd. was established in 2017, located in Jinshui District, Zhengzhou City, Henan Province. We have many refrigerated truck production bases in China, respectively located in Henan, Shandong, Hubei, Jiangsu, Guangdong, product sales network covering domestic and foreign markets.

we have more than 300 models of special trucks, can also provide you with a variety of customized trucks, five-star after-sales service guarantee. You can call us free at any time, we will provide you with solutions. In addition, we provide you with original spare parts. Our engineers can provide on-site service if required. We have many customers in Southeast Asia, South Asia, Central Asia, West Asia, the Middle East, South America.Welcome friends from all over the world to contact us for win-win cooperation.

How can we guarantee quality?

we produce as per international standard and norm;

Always final Inspection before shipment; We know once those products with quality defects are shipped to the destination, both of us are in great trouble. If we check the quality of each shipment with the minimum cost, so why not? We have advanced production technology and professional production lines, So far, our customers are very satisfied with our services and products.

what can you buy from us?

Our company specializes in various brands of electric vehicles, commercial vehicles, refrigerated trucks, auto parts and vehicle maintenance equipment. Vans, refrigerator trucks, buses, mixer trucks, tank trucks and other special vehicles.

why should you buy from us not from other suppliers?

Quality and Reliability: We prioritize quality in all our products, ensuring they meet or exceed industry standards. Competitive Pricing: We offer competitive pricing without compromising on quality. Our efficient supply chain and strong relationships with manufacturers allow us to provide cost-effective solutions that fit your budget. Customization and Flexibility: We understand that every customer has unique needs. We offer a range of customizable options and are flexible in tailoring our products and services to meet your specific requirements. In summary, buying from us means you're choosing a supplier that offers quality, competitive pricing, exceptional customer service, flexibility, a comprehensive product range, a strong reputation, and a commitment to sustainability. We're here to

ensure you have the best possible experience, from initial inquiry to after-sales support.

what services can we provide?

Accepted Delivery Terms: FOB;EXW; CIF; Accepted Payment Currency:Euro; US dollar; CNY; Language Spoken:English; Russian; Spanish;

Specification:

for more products please visit us on commercial-autos.com

Cargo box size (mm)	4080*2100*2100
Box volume (m³)	18
Box material	glass fiber reinforced plastics
Insulation layer material	XPS/polyurethane
Insulation layer thickness(cm)	8
Box bottom plate	aluminum material
Refrigerator brand	Thermo King/Carrier/Chinese brand
Refrigerator temperature (°)	-5°/-18°
Backup power	Optional
Air heating system	Optional
Box optional configuration	Meat hook/Ventilation trough
Chassis brand	isuzu
Drive form	4*2
Steering wheel	Left hand drive
Steering device	Deview englished at a win w
	Power assisted steering
Wheelbase(mm)	3360
Wheelbase(mm) Engine brand and model	
	3360
Engine brand and model	3360 isuzu/4KH1CN6HB
Engine brand and model Max engine power(Kw)	3360 isuzu/4KH1CN6HB 97
Engine brand and model Max engine power(Kw) Engine displacement(ml)	3360 isuzu/4KH1CN6HB 97 2999
Engine brand and model Max engine power(Kw) Engine displacement(ml) Engine emission standard	3360 isuzu/4KH1CN6HB 97 2999 Euro6
Engine brand and model Max engine power(Kw) Engine displacement(ml) Engine emission standard Number of engine cylinders	3360 isuzu/4KH1CN6HB 97 2999 Euro6 4

Suspension	Multi leaf springs
Brake system	Front/Rear Drum full air braking
Wheels and tyre size	6+1/(7.00R16)
Cab configuration	Single row cab, air conditioning, radio, MP3 and USB port
Rated voltage	24V,DC
Cab color	White,other color is optional







