



## C9.3 ACERT Engine Construction Machinery with Powershift Transmission and 1.1L Lubricating Oil Capacity

Our Product Introduction

for more products please visit us on [commercial-autos.com](http://commercial-autos.com)

### Basic Information

- Place of Origin: Henan, China
- Delivery Time: 30-45 working days
- Payment Terms: T/T
- Supply Ability: 1,000 units per month



### Product Specification

- Blade Height: 1.1 M
- Hydraulic Tank Capacity: 18L
- Track Shoe Width: 610 Mm
- Tyre Size: 23.5-25
- Lubricating Oil: 1.1L
- Weighing Platform Length: 7m 24m
- Plastering Thickness: 2-30mm
- Max Aggregate Diameter: 40mm
- Highlight: **C9.3 ACERT construction engine, Powershift transmission construction machinery**

4.4L Lubricating oil capacity

## Product Description

### Product Description:

When it comes to Architectural Apparatus and Building Equipment, the Construction Machinery product stands out as a reliable and efficient choice. With a generous Bucket Capacity of 4.5 M3, this machinery is designed to handle a wide range of construction tasks with ease.

The Transmission Type of this equipment is Powershift, providing seamless shifting between gears for optimal performance on the construction site. This feature ensures smooth operation and enhances productivity, making it a valuable asset for any construction project.

In terms of maintenance, the Construction Machinery product requires a Lubricating Oil capacity of 1.1L. This ensures proper lubrication of essential components, prolonging the lifespan of the machinery and reducing the risk of breakdowns during operation.

One of the standout features of this equipment is its Cutting Speed, which ranges from 2.5 to 3.0 S. This impressive cutting speed allows for quick and precise cutting of materials, making the construction process more efficient and saving valuable time on the job site.

Additionally, the Weighing Platform Length of the Construction Machinery product ranges from 7m to 24m, providing ample space for weighing and measuring materials accurately. This feature enhances the precision and accuracy of construction tasks, ensuring that projects are completed to the highest standards.

Overall, the Construction Machinery product is a versatile and reliable choice for any construction project. With its high Bucket Capacity, advanced Powershift Transmission Type, efficient Lubricating Oil system, impressive Cutting Speed, and spacious Weighing Platform Length, this equipment is designed to deliver exceptional performance and productivity on the job site.

### Features:

Product Name: Construction Machinery

Plastering Thickness: 2-30mm

Cutting Speed: 2.5-3.0 S

Max Aggregate Diameter: 40mm

Lubricating Oil: 1.1L

Hydraulic Cylinder Brand: FAMOUS BRAND

### Technical Parameters:

Traction Speed	10-15 km/h
Max Aggregate Diameter	40mm
Engine Type	C9.3 ACERT
Weighing Platform Length	7m-24m
Bucket Capacity	4.5 M3
Plastering Thickness	2-30mm
Hydraulic Tank Capacity	18L
Transmission Type	Powershift
Blade Height	1.1 M
Ripper	Optional

### Applications:

Construction Machinery, such as excavators, bulldozers, and cranes, plays a crucial role in various construction projects. Originating from Henan, China, this Construction Machinery is designed to meet the demands of construction sites and engineering projects worldwide. With a Supply Ability of 1,000 units per month, this Construction Machinery ensures that construction companies and contractors have access to the necessary equipment to complete their projects efficiently and on time. The Delivery Time of 30-45 working days allows for timely delivery to construction sites, ensuring minimal disruptions to project schedules.

Payment Terms for this Construction Machinery are convenient with T/T, providing flexibility for customers to make transactions. The product's attributes, such as the Lubricating Oil capacity of 1.1L and Hydraulic Tank Capacity of 18L, contribute to the smooth operation and maintenance of the machinery on construction sites.

The Weighing Platform Length ranging from 7m to 24m offers versatility for different construction scenarios, accommodating various project requirements. The Tyre Size of 23.5-25 and Track Shoe Width of 610mm ensure stability and traction on different terrains, making this machinery suitable for diverse construction environments.

Construction Apparatus and Engineering Tools are essential for civil engineering projects, building construction, road construction, and other infrastructure development activities. This Construction Machinery is ideal for excavation, earthmoving, lifting, and material handling tasks on construction sites.

Whether it's a large-scale construction project or a smaller engineering task, this Construction Machinery provides the necessary power, efficiency, and reliability to get the job done. Its robust design and high-quality components make it a valuable asset for construction companies looking to enhance their operations and productivity.

